

[First Hit](#) [Fwd Refs](#)[Previous Doc](#)[Next Doc](#)[Go to Doc#](#)

Generate Collection

Print

L6: Entry 17 of 17

File: USPT

Aug 5, 2003

DOCUMENT-IDENTIFIER: US 6602510 B1

TITLE: HLA class I A2 tumor associated antigen peptides and vaccine compositions

Brief Summary Text (25):

An alternative embodiment comprises, a composition comprising one or more peptides, and further comprising at least two epitopes selected from Table 6, wherein each of said one or more peptides comprise less than 250, 100, 75 or 50 amino acids that have 100% identity with a native peptide sequence. A native peptide sequence can be CEA, HER2/neu, MAGE2, MAGE3, or p53. The composition comprises epitopes from at least two antigens selected from the group consisting of antigens: CEA, HER2/neu, MAGE2, MAGE3, and p53. The composition can comprise at least two, three, four, five, six, seven, eight, nine, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 or more epitopes selected from Table 6. A multiepitope peptide can be a heteropolymer or a homopolymer. The composition can comprise at least one epitope selected from Table 6 which binds to a member of an HLA-A2 supertype at an IC.sub.50 equal to or less than 500 nM, at least one epitope selected from Table 6 which binds to at least two members of the HLA-A2 supertype at an IC.sub.50 equal to or less than 500 nM, at least one epitope selected from Table 6 which binds to at least three members of the HLA-A2 supertype at an IC.sub.50 at equal to or less than 500 nM, at least one epitope selected from Table 6 which binds to a member of the HLA-A2 supertype at an IC.sub.50 at equal to or less than 200 nM, at least one epitope selected from Table 6 which binds to a member of the HLA-A2 supertype at an IC.sub.50 at equal to or less than 50 nM, or, at least one epitope selected from Table 6 which exhibits tumor cell recognition when used in a CTL assay to elicit a CTL response. The composition can comprise a pharmaceutical excipient, such as an adjuvant.

[Previous Doc](#)[Next Doc](#)[Go to Doc#](#)

filing date 2000



A service of the National Library of Medicine  
and the National Institutes of Health

My NCBI  
[Sign In] [Register]

All Databases PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Book

Search PubMed for [ ] Go Clear

Limits Preview/Index History Clipboard Details

Display AbstractPlus Show 20 Sort By Send to

All: 1 Review: 0

1: J Natl Cancer Inst. 1979 Aug;63(2):367-73.

Links

### Oncofetal antigen: a tumor-associated fetal antigen immunogenic in man.

**Irie RF, Giuliano AE, Morton DL.**

Oncofetal antigen (OFA) has been defined with the use of human natural antibodies as a membrane antigen of human cancer cells that cross-reacts with human fetal brain tissues. The immunogen that elicits the antibody is unknown. The present study was undertaken to examine the immunogenicity of the OFA found on tumor cells. Postoperative melanoma patients were immunized with OFA-positive melanoma cells. Anti-OFA reactivities in the immunized sera were titrated by the immune adherence assay with the use of a known OFA-positive cultured melanoma cell line, M14, as target cell. Alloantibodies were excluded by absorption with lymphoblastoid cells autologous to M14. Anti-OFA antibody then was identified by absorption with fetal brain. In 6 months of immunization, 19 of 23 patients produced increased anti-OFA antibodies. The peak titers ranged from 1:16 to 1:2,048. Sera from 18 patients who were not immunized also were tested for 6 months postoperatively, and none had significant increases in antibody titers. The increase of anti-OFA antibody titer in response to the immunization with OFA-positive tumor cells suggests the immunogenic capability of tumor-related OFA in man.

PMID: 88539 [PubMed - indexed for MEDLINE]

Display AbstractPlus Show 20 Sort By Send to

### Related Links

A serologic study of cultured breast cancer cell lines: lack of antibody response to tumour specific membrane antigens in patients. [Cancer Exp Immunol. 1980]

Humoral response of melanoma patients to two different tumor-associated antigens. [J Surg Oncol. 1983]

A membrane antigen common to human cancer and fetal brain tissue. [Cancer Res. 1976]

Isolation and immunochemical characterization of antibodies from the sera of cancer patients which are reactive against human melanoma cell membranes by affinity chromatography. [Cancer Res. 1979]

Ganglioside GM2 as a human tumor antigen (OFA-1). [Proc Natl Acad Sci U S A. 1983]

See all Related Articles...

Write to the Help Desk

NCBI | NLM | NIH

Department of Health & Human Services

Privacy Statement | Freedom of Information Act | Disclaimer

## WEST Search History

DATE: Sunday, September 16, 2007

<b>Hide?</b>	<b>Set Name</b>	<b>Query</b>	<b>Hit Count</b>
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI; PLUR=YES; OP=OR</i>		
<input type="checkbox"/>	L8	OFA same multiepitope	0
<input type="checkbox"/>	L7	oncofetal same multiepitope	0
<input type="checkbox"/>	L6	multiepitope same ctl	17
<input type="checkbox"/>	L5	polytope same ctl	79
<input type="checkbox"/>	L4	polytope same oncofetal	0
<input type="checkbox"/>	L3	L1 and oncofetal	3
<input type="checkbox"/>	L2	L1 and oncofetal.clm.	1
<input type="checkbox"/>	L1	(plurality near10 epitopes).clm.	168

END OF SEARCH HISTORY



A service of the National Library of Medicine  
and the National Institutes of Health

My NCBI  
[Sign In] [Register]

All Databases PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Books

Search PubMed for [ ] Preview Go Clear

Limits Preview/Index **History** Clipboard Details

About Entrez

Text Version

Entrez PubMed

Overview

Help | FAQ

Tutorials

New/Noteworthy

E-Utilities

PubMed Services

Journals Database

MeSH Database

Single Citation

Matcher

Batch Citation

Matcher

Clinical Queries

Special Queries

LinkOut

My NCBI

Related Resources

Order Documents

NLM Mobile

NLM Catalog

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

- Search History will be lost after eight hours of inactivity.
- Search numbers may not be continuous; all searches are represented.
- To save search indefinitely, click query # and select Save in My NCBI.
- To combine searches use #search, e.g., #2 AND #3 or click query # for more options.

Search	Most Recent Queries	Time	Result
#21	<b>Related Articles for PubMed (Select 9627940)</b>	09:45:07	<u>314</u>
#27	<b>Search multiepitope and oncofetal antigen</b>	09:35:51	<u>0</u>
#18	<b>Related Articles for PubMed (Select 8752934)</b>	09:35:20	<u>144</u>
#26	<b>Search multiple epitopes and oncofetal antigen</b>	09:35:09	<u>6</u>
#25	<b>Search pool of epitopes and oncofetal antigen</b>	09:34:58	<u>0</u>
#24	<b>Search polytope and oncofetal antigen</b>	09:34:45	<u>0</u>
#23	<b>Search polyepitope and oncofetal antigen</b>	09:34:37	<u>0</u>
#22	<b>Search polyepitope and oncofetal</b>	09:34:32	<u>0</u>
#15	<b>Search polytope AND ctl</b>	09:23:45	<u>11</u>
#14	<b>Search tumor rejection antigens and multiple</b>	09:22:02	<u>174</u>
#13	<b>Search tumor rejection antigen and plurality</b>	09:21:46	<u>0</u>
#11	<b>Search POLYTOPE AND CTL</b>	09:19:20	<u>11</u>
#10	<b>Related Articles for PubMed (Select 15623647)</b>	09:07:20	<u>329</u>
#3	<b>Related Articles for PubMed (Select 12869512)</b>	09:06:55	<u>376</u>
#8	<b>Search oncofetal antigen AND CTL</b>	09:05:24	<u>6</u>
#1	<b>Search oncofetal antigen AND epitope</b>	09:04:09	<u>161</u>

Clear History

[Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)

Department of Health & Human Services

[Privacy Statement](#) | [Freedom of Information Act](#) | [Disclaimer](#)



A service of the National Library of Medicine  
and the National Institutes of Health

My NCBI  
[\[Sign In\]](#) [\[Register\]](#)

[All Databases](#)
[PubMed](#)
[Nucleotide](#)
[Protein](#)
[Genome](#)
[Structure](#)
[OMIM](#)
[PMC](#)
[Journals](#)
[Book](#)

Search  ☒ for

[Limits](#)
[Preview/Index](#)
[History](#)
[Clipboard](#)
[Details](#)
[About Entrez](#)
[Text Version](#)
[Entrez PubMed](#)
[Overview](#)
[Help | FAQ](#)
[Tutorials](#)
[New/Noteworthy](#)
[E-Utilities](#)
[PubMed Services](#)
[Journals Database](#)
[MeSH Database](#)
[Single Citation](#)
[Matcher](#)
[Batch Citation](#)
[Matcher](#)
[Clinical Queries](#)
[Special Queries](#)
[LinkOut](#)
[My NCBI](#)
[Related Resources](#)
[Order Documents](#)
[NLM Mobile](#)
[NLM Catalog](#)
[NLM Gateway](#)
[TOXNET](#)
[Consumer Health](#)
[Clinical Alerts](#)
[ClinicalTrials.gov](#)
[PubMed Central](#)

- Search History will be lost after eight hours of inactivity.
- Search numbers may not be continuous; all searches are represented.
- To save search indefinitely, click query # and select Save in My NCBI.
- To combine searches use #search, e.g., #2 AND #3 or click query # for more options.

Search	Most Recent Queries	Time	Result
<a href="#">#27</a>	Search <b>multiepitope and oncofetal antigen</b>	09:35:51	<a href="#">0</a>
<a href="#">#18</a>	<b>Related Articles for PubMed (Select 8752934)</b>	09:35:20	<a href="#">144</a>
<a href="#">#26</a>	Search <b>multiple epitopes and oncofetal antigen</b>	09:35:09	<a href="#">6</a>
<a href="#">#25</a>	Search <b>pool of epitopes and oncofetal antigen</b>	09:34:58	<a href="#">0</a>
<a href="#">#24</a>	Search <b>polytope and oncofetal antigen</b>	09:34:45	<a href="#">0</a>
<a href="#">#23</a>	Search <b>polyepitope and oncofetal antigen</b>	09:34:37	<a href="#">0</a>
<a href="#">#22</a>	Search <b>polyepitope and oncofetal</b>	09:34:32	<a href="#">0</a>
<a href="#">#21</a>	<b>Related Articles for PubMed (Select 9627940)</b>	09:30:40	<a href="#">314</a>
<a href="#">#15</a>	Search <b>polytope AND ctl</b>	09:23:45	<a href="#">11</a>
<a href="#">#14</a>	Search <b>tumor rejection antigens and multiple</b>	09:22:02	<a href="#">174</a>
<a href="#">#13</a>	Search <b>tumor rejection antigen and plurality</b>	09:21:46	<a href="#">0</a>
<a href="#">#11</a>	Search <b>POLYTOPE AND CTL</b>	09:19:20	<a href="#">11</a>
<a href="#">#10</a>	<b>Related Articles for PubMed (Select 15623647)</b>	09:07:20	<a href="#">329</a>
<a href="#">#3</a>	<b>Related Articles for PubMed (Select 12869512)</b>	09:06:55	<a href="#">376</a>
<a href="#">#8</a>	Search <b>oncofetal antigen AND CTL</b>	09:05:24	<a href="#">6</a>
<a href="#">#1</a>	Search <b>oncofetal antigen AND epitope</b>	09:04:09	<a href="#">161</a>

[Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)
[Department of Health & Human Services](#)
[Privacy Statement](#) | [Freedom of Information Act](#) | [Disclaimer](#)

## WEST Search History





DATE: Sunday, September 16, 2007

Hide?	Set Name	Query	Hit Count
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI; PLUR=YES; OP=OR</i>		
<input type="checkbox"/>	L10	L9 and epitopes	21
<input type="checkbox"/>	L9	L8 same fragment	26
<input type="checkbox"/>	L8	"oncofetal antigen" same (t near10 cell)	127
<input type="checkbox"/>	L7	L6 and (epitope\$ near10 lymphocytes)	41
<input type="checkbox"/>	L6	"oncofetal antigen" or "OFA"	33697
<input type="checkbox"/>	L5	"oncofetal antigen".clm.	28
	<i>DB=USPT; PLUR=YES; OP=OR</i>		
<input type="checkbox"/>	L4	US-6335174-B1.did.	1
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI; PLUR=YES; OP=OR</i>		
<input type="checkbox"/>	L3	L1 and barsoum.in.	9
<input type="checkbox"/>	L2	L1 and roher.in.	0
<input type="checkbox"/>	L1	coggin.in.	275

END OF SEARCH HISTORY